



DisplayPort Cable - DP to DP Adapter (Male-to-Male) - 4K Compatible - 2M/6.6 ft –
VisionTek **[Price: \$10.99]**

Manufacturer Part# : 901211 Dell Part# : AA410855



OptiPlex Small Form Factor (Plus 7020) **[Price: \$ 751.98]**

- Intel® Core™ i5 14500 vPro® (24MB cache, 14 cores, 20 threads, up to 5.0 GHz Turbo)
- 16 GB, 1 x 16 GB, DDR5
- 512GB M.2 PCIe NVMe Class 40 Solid State Drive
- Intel® Integrated Graphics
- 4 Years Hardware Warranty with Onsite/In-Home Service after Remote Diagnosis

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.

Ports & Slots- Small Form Factor



1	Power Button	6	USB 2.0
2	Storage Activity Light	7	USB 2.0 with PowerShare
3	SD Card Reader (optional)	8	USB 3.2 Gen 2 Type-A Port
4	Universal Audio Jack	9	USB 3.2 Gen 2x2 Type-C Port
5	Optical Disc Drive (optional)	10	Re-tasking Line-out/Line-in Audio Port
11	Serial Port (optional)	12	3x DisplayPort 1.4a Ports (each up to 4096 x 2304 @60Hz)
13	Optional Video Port HDMI 2.1, up to 4096 x 2160 @60Hz DisplayPort 1.4a, up to 5120 x 3200 @60Hz VGA, up to 1920 x 1200 @60Hz USB Type-C with DisplayPort Alt mode: up to 5120 x 3200 @60Hz	14	USB 3.2 Gen 2 Type-A port
15	3x USB 3.2 Gen 1 Type-A Port	16	2x USB 2.0 with SmartPower On
17	2x Expansion Cards Slots	18	Power Cord Connector
19	Power Supply Diagnostic Light	20	Release Latch
21	Kensington Security Cable Slot	22	RJ-45 Ethernet
23	Padlock Ring		

Dimensions & Weight

Height: 11.42 in. (290.00 mm) | Width: 3.65 in. (92.60 mm) | Depth: 11.53 in. (292.80 mm)

Weight (min): 9.43 lb (4.28 kg) Weight (max): 12.38 lb (5.62 kg)

Web link: [OptiPlex SFF 7020 Plus](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.



Latitude 5550

[Price: 1,043.51]

- Intel® Core™ Ultra 5 125U processor (12 MB cache, 12 cores, 14 threads, up to 4.3 GHz Turbo)
- 16 GB: 2 x 8 GB, DDR5, 5600 MT/s (5200 MT/s with 13th Gen Intel® Core™ processors)
- 512 GB, M.2 2230, TLC, Gen 4 PCIe NVMe, SSD
- 15.6in, FHD 1920x1080, 60Hz, IPS, Non-Touch, AG, 250 nit, 45% NTSC, FHD Cam
- 4 Years Hardware Warranty with Onsite/In-Home Service after Remote Diagnosis
- 2 Years Extended Battery Service for Years 2 and 3 of System Life

Ports & Slots



1	MicroSD Card Sot	6	RJ45
2	Universal Audio Port	7	Wedge Shaped Lock Slot
3	USB 3.2 Gen1	8	2x Thunderbolt™ 4.0 USB-C with Power Delivery & DisplayPort
4	USB 3.2 Gen1 with PowerShare	9	Contacted SmartCard Reader (optional)
5	HDMI 2.1		

Dimensions & Weight

Height: 0.82 in. (20.80 mm) | Width: 14.09 in. (357.80 mm) | Depth: 9.19 in. (233.30 mm) | Starting weight: 3.58 lbs. (1.62 kg)

Web link: [Latitude 5550](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.



Latitude 5450

[Price: \$977.49]

- Intel® Core™ Ultra 5 125U processor (12 MB cache, 12 cores, 14 threads, up to 4.3 GHz Turbo)
- 16 GB: 2 x 8 GB, DDR5, 5600 MT/s (5200 MT/s with 13th Gen Intel® Core™ processors)
- 512 GB, M.2 2230, TLC, Gen 4 PCIe NVMe, SSD
- 14.0in, FHD 1920x1080, 60Hz, IPS, Non-Touch, AG, 250 nit, 45% NTSC, FHD Cam
- 4 Years Hardware Warranty with Onsite/In-Home Service after Remote Diagnosis
- 2 Years Extended Battery Service for Years 2 and 3 of System Life

Ports & Slots



1	Universal Audio Jack	6	USB-A 3.2 Gen1
2	USB 3.2 Gen1 with PowerShare	7	2x Thunderbolt™ 4.0 USB-C with Power Delivery & DisplayPort
3	HDMI 2.1	8	Nano-SIM Card Slot (optional)
4	Wedge Shaped Lock Slot	9	Contacted SmartCard Reader (optional)
5	RJ45		

Dimensions & Weight

Height: 0.75 in. (19.06 mm) | Width: 12.65 in. (321.35 mm) | Depth: 8.35 in. (212.00 mm) | Starting Weight: 3.09 lb. (1.40 kg)

Web link: [Latitude 5450](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.



Latitude 5350 2-in-1

[Price: 1,176.30]

Ships in 11 -15 business days

- Intel® Core™ Ultra 5 125U processor (12 MB cache, 12 cores, 14 threads, up to 4.3 GHz Turbo)
- Intel® Core™ Ultra 5 125U processor (12 MB cache, 12 cores, 14 threads, up to 4.3 GHz Turbo)
- 1 TB, M.2 2230, TLC, Gen 4 PCIe NVMe, SSD
- 2in1, 13.3in FHD 1920x1080, 60Hz, IPS, Touch, AR+AS,300nit,72%NTSC,GGDXC,Pen Support,FHD+IR/IP Cam,4G
- 4 Years Hardware Warranty with Onsite/In-Home Service after Remote Diagnosis
- 2 Years Extended Battery Service for Years 2 and 3 of System Life

Ports & Slots



1	Nano-SIM Card Slot (optional)	6	6. USB 3.2 Gen1
2	Universal Audio Jack	7	2x Thunderbolt™ 4.0 USB-C with Power Delivery & DisplayPort
3	USB 3.2 Gen1 with PowerShare	8	Contacted Smart Card Reader (optional)
4	HDMI 2.1	9	N/A
5	Wedge Lock Slot		

Dimensions & Weight

Height: 0.66 in. (16.79 mm) | Width: 12.04 in. (305.70 mm) | Depth: 8.17 in. (207.50 mm) | 2-in-1 Starting Weight: 2.98 lbs. (1.35 kg)

Web link: [Latitude 5350 2-in-1](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.



Latitude 7450

[Price: \$ 1,080.81]

Ships in 5 - 7 business days

- Intel® Core™ Ultra 5 125U (12MB cache, 12 cores, 14 threads, up to 4.3 GHz Max Turbo)
- 16 GB: LPDDR5x, 6400 MT/s (onboard)
- 512 GB, M.2 2230, TLC PCIe Gen 4 NVMe, SSD
- Laptop 14.0in FHD+ (1920x1200), IPS, AG No-Touch, 250 nits, FHD Cam, WLAN, Aluminum
- 4 Years Hardware Warranty with Onsite/In-Home Service after Remote Diagnosis
- 2 Years Extended Battery Service for Years 2 and 3 of System Life

Ports & Slots



1	Optional external uSIM card tray (WWAN configurations only)	6	2x Thunderbolt™ 4.0 with Power Delivery & DisplayPort
2	Universal Audio Jack	7	Optional contacted SmartCard reader (available on aluminum chassis only)
3	2xUSB 3.2 Gen 1 Type-A		
4	Wedge-shaped lock slot		
5	HDMI 2.1		

Dimensions & Weight Aluminum Laptop

Height: 0.72 in. (18.21 mm) | Width: 12.32 in. (313.00 mm) | Depth: 8.77 in. (222.80 mm) | Starting Weight: 2.92 lb (1.33 kg)

Web link: [Latitude 7450](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.



Dell Thunderbolt 4 Dock- WD22TB4

[Price: \$169.00]

Ships in 23 - 30 business days

- 3 Years Advanced Exchange Service

Limitations

FUNCTIONALITY	DELL COMMERCIAL NOTEBOOKS	APPLE USB-C HOST
Multi-Stream Transport (MST) support for monitors in Extended Desktop in mode	Yes	No (Workaround Required *)
Dock power button emulates computer power button	Yes	No
Power Delivery to connected computer	Up to 130 Watts	Up to 90 Watts
Audio through 3.5 mm headset jack **	Yes	No
MAC address pass-through	Yes	No
Wake on Dock	Yes	No
Wake on LAN	Yes	No
Firmware update using computer native operating system (Firmware Update Utility)	Yes	No (Must be connected to a Windows operating system computer)

** WD22TB4, WD19S, and WD19TBS docks are not equipped with 3.5 mm jacks.

Ports & Slots



1	USB-C 3.2 Gen 2	6	USB-A 3.2 Gen 1 port (2)
2	USB-A 3.2 Gen 1 with PowerShare	7	Gigabit Ethernet RJ45
3	DisplayPort 1.4 (2)	8	Power In
4	HDMI 2.0	9	Thunderbolt™ 4 (2)
5	USB-C Multifunction DisplayPort		

Dimensions & Weight

Height: 1.1 in | Width: 8.1in | Depth: 3.5 | Weight: 15.87 oz

Web link: [Dell Thunderbolt 4 Dock – WD22TB4](#) [Dell docking compatibility guide](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.




Dell 24 Monitor - P2425H

[Price: \$158.00]

- Viewable Size 23.8in
- Native Resolution 1920 x 1080 at 60 Hz
- 4 Years Advanced Exchange Service

Ports & Slots



1	Security lock slot (based on Kensington Security Slot™)	6	VGA
2	Power connector	7	USB 3.2 Gen1 Type-B upstream
3	HDMI	8	USB 3.2 Gen1 Type-A downstream ports (2)
4	Stand lock	9	Soundbar slots
5	DisplayPort 1.2	10	USB 3.2 Gen1 Type-A downstream
11	USB 3.2 Gen1 Type-C downstream (PD of up to 15W)		

Cables Included: Power cord, DP-to-DP, 1.8m, HDMI 1.8m (for selected countries only), USB 3.2 Gen1 Type A-to-B upstream, 1.8m

Dimensions & Weight

With Stand: Height: 14.33in ~ 19.55in | Width: 21.21in | Depth: 7.16in | Weight: 14.95 lbs

VESA Mounting: 12.37in | Width: 21.21in | Depth: 1.97in | Weight: 6.88 lbs

Web link: [Dell 24 Monitor - P2425H](#)

Purdue Northwest 2024 Dell Standards
 Pricing and availability subject to change without notice.



Dell 24 Video Conferencing Monitor - C2423H

[Price: \$ 184.49]

- Pop-up webcam smartly hides the camera when you push it down
- Viewable Size 23.8in
- Full HD (1080p) 1920 x 1080 at 60 Hz
- 3 Years Advanced Exchange Service

Ports & Slots



1	Power connector	7	Superspeed USB 5Gbps (USB 3.2 Gen 1) Type-B upstream port
2	Security lock slot (based on Kensington Security Slot™)	8	Superspeed USB 5Gbps (USB 3.2 Gen 1) Type-A downstream port x2
3	HDMI port	9	Superspeed USB 5Gbps (USB 3.2 Gen 1) Type-A downstream port with Power Charging (BC 1.2)
4	Stand lock feature	10	Headphone jack
5	DisplayPort	11	Built-in speakers
6	DisplayPort (out)		Power cable DisplayPort to DisplayPort cable (1.8 meters) HDMI cable (1.8 meters) USB Type A to USB Type B cable (1.8 meters)

Dimensions & Weight

Height: 19.5in | Width: 21.1in | Depth: 7.1in | Weight: 13.3 lbs

Web link: [Dell 24 Video Conferencing Monitor - C2423H](#)

Purdue Northwest 2024 Dell Standards
 Pricing and availability subject to change without notice.




Dell 27 Monitor - P2725H

[Price: \$ 199.50]

- Diagonal Size 27in
- 1920 x 1080
- 4Y Basic Hardware Service with Advanced Exchange after remote diagnosis

Ports & Slots



1	Security lock slot (based on Kensington Security Slot™)	7	USB 3.2 Gen1 Type-B upstream
2	Power connector	8	USB 3.2 Gen1 Type-A downstream ports (2)
3	HDMI port	9	Soundbar slots (2)
4	Stand lock	10	USB 3.2 Gen1 Type-A downstream
5	DisplayPort 1.2	11	USB 3.2 Gen1 Type-C downstream (PD of up to 15W)
6	VGA	12	

Cables Included: Power cord, DP-to-DP, 1.8m, USB 3.2 Gen2 Type-C, 1.0m, HDMI 1.8m (for selected countries only)

Dimensions & Weight

Height with stand (Compressed ~ Extended) 15.14in ~ 21.05in | Width with stand 24.04in

Depth with stand 7.57in | Weight (panel only - for VESA mount) 8.88 lbs | Weight (with packaging) 18.67 lbs

Web link: [Dell 27 Monitor - P2725H](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.




Dell 27 Video Conferencing Monitor - P2724DEB

[Price: \$ 388.16]

- Diagonal Size 27in
- QHD (2560 x 1440) at 60 Hz
- 4Y Basic Hardware Service with Advanced Exchange after remote diagnosis

Ports & Slots



1	Security lock slot (based on Kensington Security Slot™)	7	USB 3.2 Gen1 Type-B upstream
2	Power connector	8	2 USB 3.2 Gen1 Type-A downstream
3	HDMI	9	RJ45
4	DisplayPort 1.4	10	USB 3.2 Gen1 Type-A downstream (with BC 1.2)
5	USB 3.2 Gen1 Type-C (Alt mode with DP 1.4 upstream, up to 90W power delivery)	11	3.5 mm combo headphone with microphone jack
6	DisplayPort (out)	12	USB 3.2 Gen1 Type-C downstream (PD of up to 15W)
13	Stand lock feature	14	N/A

Cables Included: Power cord, DP-to-DP, 1.8m, USB 3.2 Gen2 Type C-to-C, 1.0m, USB 3.2 Gen1 Type A-to-B upstream, 1.8m

Dimensions & Weight

Full monitor: Height 17.35in | Width 24.09in | Depth 9.10in | Weight 18.2lbs

VESA Mounting: Height 16.37in | Width 24.09in | Depth 2.35in | Weight 12.46lbs

Web link: [Dell 27 Video Conferencing Monitor - P2724DEB](#)

Purdue Northwest 2024 Dell Standards
Pricing and availability subject to change without notice.




Dell 27 USB-C® Hub Monitor - P2725HE

[Price: \$ 251.00]

Diagonal Size 27in

- 1920 x 1080
- 4Y Basic Hardware Service with Advanced Exchange after remote diagnosis

Ports & Slots



1	Security-lock slot	7	USB 3.2 Gen1 Type-C upstream (Alt mode with DP1.4, up to 90W PD)
2	Power connector	8	USB 3.2 Gen1 Type-A downstream (2)
3	HDMI port	9	Soundbar slots (2)
4	Stand lock	10	RJ45
5	DisplayPort (in)	11	USB 3.2 Gen1 Type-A downstream
6	DisplayPort (out)	12	USB 3.2 Gen1 Type-C downstream (PD of up to 15W)

Cables Included: Power cord, DP-to-DP, 1.8m, USB 3.2 Gen2 Type-C, 1.0m

Dimensions & Weight

Height: 21in | Width: 24in | Depth: 7.5in | Weight: 15.74 lbs

Web link: [Dell 27 USB-C® Hub Monitor - P2725HE](#)

Purdue Northwest 2024 Dell Standards
 Pricing and availability subject to change without notice.



Dell UltraSharp 27 4K USB-C Hub Monitor – U2723QE

[Price: \$ 420.49]

- Diagonal Size 27in
- Full HD (1080p) 1920 x 1080 at 60 Hz
- 3 Years Advanced Exchange Service

Ports & Slots



1	Security-lock slot	7	USB Type-C upstream port
2	Power connector	8	SuperSpeed USB 5Gbps downstream port (4)
3	HDMI port	9	RJ45 port
4	Stand lock		Cables Included:
5	DisplayPort (in)		Power cable DisplayPort to DisplayPort cable (1.8 meters) USB-C cable (1.8 meters) Cable Tie
6	DisplayPort (out)		

Dimensions & Weight

Height: 21in | Width: 24in | Depth: 7.5in | Weight: 15.74 lbs

Web link: [Dell UltraSharp 27 4K USB-C Hub Monitor - U2723QE](#)